

Transfecting Stealth™ RNAi or siRNA into P19 Embryonal Carcinoma Cells Using Lipofectamine™ 2000

Terms and Conditions of Use

Invitrogen Corporation ("Invitrogen") grants to you, its customer, a non-exclusive, non-transferable license to access the Invitrogen RNAi transfection protocol applicable to Invitrogen products, as set forth below (the "Protocol"). You acknowledge that the Protocol is protected by copyright. All rights not specifically granted to you are expressly reserved to Invitrogen. You may use the Protocol for personal, educational, or scientific research or professional use, but in no case for a fee. You may not remove, obscure or modify any copyright or proprietary notices, author attribution or any disclaimer contained in the Protocol.

INVITROGEN PROVIDES THE PROTOCOL "AS IS", WITHOUT WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF TITLE, OR IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT; YOUR USE OF THE PROTOCOL IS AT YOUR OWN RISK; NEITHER INVITROGEN NOR ITS AFFILIATES, EMPLOYEES, OFFICERS OR DIRECTORS SHALL BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR PUNITIVE DAMAGES ARISING OUT OF THIS LICENSE OR ANY USE OF THE PROTOCOL. Some jurisdictions do not allow the exclusion or limitation of liability for certain damages, so the above limitation may not apply to you to the extent prohibited by such local laws; if so, then Invitrogen's liability for damages hereunder shall not exceed an amount equal to the amounts paid by you hereunder, or one hundred dollars (\$100.00), whichever is less.

Confidentiality

You acknowledge the Protocol is Invitrogen's confidential information and constitutes Invitrogen's proprietary and valuable trade secrets. You agree to take reasonable care to protect the Protocol from disclosure to third parties, except as may be expressly authorized by Invitrogen.

Introduction

Lipofectamine™ 2000 Reagent is a proprietary formulation that facilitates highly efficient delivery of Stealth™ RNAi or short interfering RNA (siRNA) to mammalian cells for RNAi analysis. This reference provides general guidelines and an optimized procedure to transfect Stealth™ RNAi (or siRNA) into mouse P19 embryonal carcinoma cells (ATCC, Cat. No. CRL-1825) using Lipofectamine™ 2000 (Cat. No. 11668-027).

Note: While transfection conditions have been optimized to allow highly efficient delivery of Stealth™ RNAi into P19 cells, other factors related to the target gene of interest including the transcription rate of the target gene, the stability of the resulting protein, and efficacy of the Stealth™ RNAi sequence chosen can influence the degree of target gene knockdown observed. Take these factors into consideration when designing your RNAi experiment.

Important Guidelines for Transfection

Follow these important guidelines when transfecting Stealth™ RNA (or siRNA) into P19 cells using Lipofectamine™ 2000:

1. Use 100 nM Stealth™ RNAi (or siRNA) complexed with 2 µg/ml Lipofectamine™ 2000 (stock solution is 1 mg/ml) for transfection. To increase accuracy and reduce assay variability, we recommend performing transfection in **triplicate** for each sample condition.
2. Transfect P19 cells at 65-70% confluence.
3. **Do not add antibiotics** to the medium during transfection as this reduces transfection efficiency and causes cell death.
4. Use Opti-MEM® I Reduced Serum Medium (Cat. No. 31985-062) to dilute Lipofectamine™ 2000 and Stealth™ RNAi (or siRNA) prior to complex formation.

Materials Needed

Have the following reagents on hand before beginning:

- P19 cells maintained in Alpha Minimum Essential Medium (Cat. No. 12571-048) supplemented with 7.5% bovine calf serum (Cat. No. 16010-159), and 2.5% fetal bovine serum (Cat. No. 16000-044)
Note: Use low-passage cells; make sure that cells are healthy and greater than 90% viable before transfection.
- Stealth™ RNAi (or siRNA) of interest (20 µM in annealing buffer)
- Lipofectamine™ 2000 Reagent (store at +4°C until use)
- Opti-MEM® I Reduced Serum Medium (pre-warm to 37°C before use)
- Appropriate tissue culture plates and supplies

Transfection Procedure

Use this procedure to transfect Stealth™ RNAi (or siRNA) into P19 cells using Lipofectamine™ 2000 in a **24-well format**. For other formats, see the table in **Recommended Reagent Amounts and Volumes** for the appropriate reagent amounts to add.

Tip: To reduce well-to-well variability when transfecting multiple replicates (e.g. triplicates), proportionally scale up the reagent volumes to form complexes (Step 2), then aliquot an equal volume of complexes into each well.

- One day before transfection, plate 4×10^4 P19 cells in 400 μ l of growth medium without antibiotics per well. Cells should be 65-70% confluent at the time of transfection.
- For each transfection sample**, prepare Stealth™ RNAi-Lipofectamine™ 2000 complexes as follows:
 - Dilute 50 pmole of Stealth™ RNAi (i.e. 2.5 μ l of 20 μ M Stealth™ RNAi) in 50 μ l of Opti-MEM® I Reduced Serum Medium. Mix gently.
 - Mix Lipofectamine™ 2000 gently before use, then dilute 1 μ l in 50 μ l of Opti-MEM® I Reduced Serum Medium. Mix gently and incubate for 15 minutes at room temperature.
 - After the 15-minute incubation, combine the diluted Stealth™ RNAi and the diluted Lipofectamine™ 2000 (total volume ~ 104 μ l). Mix gently and incubate for 15 minutes at room temperature to form complexes (solution may appear cloudy).
- Add the ~104 μ l of Stealth™ RNAi-Lipofectamine™ 2000 complexes to each well containing cells and medium. Mix gently by rocking the plate back and forth.
- Incubate the cells at 37°C in a humidified CO₂ incubator for 16-24 hours or as appropriate until you are ready to assay for gene knockdown.

Recommended Reagent Amounts and Volumes

To transfect P19 cells in different tissue culture formats, vary the amounts of Stealth™ RNAi (or siRNA), Lipofectamine™ 2000, cells, and medium used in proportion to the relative surface area, as shown in the table. **Note:** 20 μ M Stealth™ RNAi or siRNA = 20 pmole/ μ l.

Culture vessel	Relative surface area (vs. 24-well)	Cells plated per well	Volume of plating medium	Stealth™ RNAi (pmole) in media volume (μ l)	Lipofectamine™ 2000 (μ l) in media volume (μ l)
48-well	0.4	2×10^4	200 μ l	20 pmole in 25 μ l	0.4 μ l in 25 μ l
24-well	1	4×10^4	400 μ l	50 pmole in 50 μ l	1 μ l in 50 μ l
6-well	5	2×10^5	2 ml	250 pmole in 250 μ l	5 μ l in 250 μ l

Limited Use Label License No. 27: Lipofectamine™ 2000

The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The buyer cannot sell or otherwise transfer (a) this product (b) its components or (c) materials made using this product or its components to a third party or otherwise use this product or its components or materials made using this product or its components for Commercial Purposes. The buyer may transfer information or materials made through the use of this product to a scientific collaborator, provided that such transfer is not for any Commercial Purpose, and that such collaborator agrees in writing (a) not to transfer such materials to any third party, and (b) to use such transferred materials and/or information solely for research and not for Commercial Purposes. Commercial Purposes means any activity by a party for consideration and may include, but is not limited to: (1) use of the product or its components in manufacturing; (2) use of the product or its components to provide a service, information, or data; (3) use of the product or its components for therapeutic, diagnostic or prophylactic purposes; or (4) resale of the product or its components, whether or not such product or its components are resold for use in research. Use of this product in conjunction with methods for the introduction of RNA molecules into cells may require licenses to one or more patents or patent applications. Users of these products should determine if any licenses are required. Invitrogen Corporation will not assert a claim against the buyer of infringement of patents owned by Invitrogen and claiming this product based upon the manufacture, use or sale of a therapeutic, clinical diagnostic, vaccine or prophylactic product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. If the purchaser is not willing to accept the limitations of this limited use statement, Invitrogen is willing to accept return of the product with a full refund. For information on purchasing a license to this product for purposes other than research, contact Licensing Department, Invitrogen Corporation, 1600 Faraday Avenue, Carlsbad, California 92008. Phone (760) 603-7200. Fax (760) 602-6500.

Limited Use Label License No. 173: Inhibition of Gene Expression by Double-Stranded RNA

This product's and/or its use may be covered by one or more of U.S. Patent No. 6,506,559 and/or foreign equivalents, and is sold under license to Invitrogen Corporation by the Carnegie Institution of Washington, 1530 P Street, N.W. Washington, DC 20005. A separate license from the Carnegie Institution of Washington may be required to use this product.

Limited Use Label License No. 196: Stealth™ RNAi

The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The buyer cannot sell or otherwise transfer (a) this product (b) its components or (c) materials made using this product or its components to a third party or otherwise use this product or its components or materials made using this product or its components for Commercial Purposes. The buyer may transfer information or materials made through the use of this product to a scientific collaborator, provided that such transfer is not for any Commercial Purpose, and that such collaborator agrees in writing (a) not to transfer such materials to any third party, and (b) to use such transferred materials and/or information solely for research and not for Commercial Purposes. Commercial Purposes means any activity by a party for consideration and may include, but is not limited to: (1) use of the product or its components in manufacturing; (2) use of the product or its components to provide a service, information, or data; (3) use of the product or its components for therapeutic, diagnostic or prophylactic purposes; or (4) resale of the product or its components, whether or not such product or its components are resold for use in research. Invitrogen Corporation will not assert a claim against the buyer of infringement of patents owned by Invitrogen and claiming this product based upon the manufacture, use or sale of a therapeutic, clinical diagnostic, vaccine or prophylactic product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. If the purchaser is not willing to accept the limitations of this limited use statement, Invitrogen is willing to accept return of the product with a full refund. For information on purchasing a license to this product for purposes other than research, contact Licensing Department, Invitrogen Corporation, 1600 Faraday Avenue, Carlsbad, California 92008. Phone (760) 603-7200. Fax (760) 602-6500.

©2005 Invitrogen Corporation. All rights reserved.